



J&A (International) Limited
THE GARMENT DECORATION SPECIALISTS

TECHNICAL DATASHEET

Ultima FR



www.ja-int.com | +44 (0)1790 752 757

J&A (International) Ltd. Insignia House, Vale Road, Spilsby, Lincolnshire PE23 5HE

Ultima FR



TECHNICAL DATASHEET

www.ja-int.com

APPLICATION

Temperature (°C): 200°C
Temperature (°F): 392°F
Time: 12 seconds
Pressure: High 56.9 - 71.1 psi / 3.9 - 4.9 bar / 4.0 - 5.0 kg/cm²
Carrier Release: N/A

LAUNDERING

Suitable for Industrial Laundering up to 85°C
Suitable for Industrial Drying Techniques - Medium
Suitable for Dry-Cleaning
Iron - Medium, On Reverse
Do Not Bleach
Do Not wash with strong Acid or Alkaline additives

HANDLING AND STORAGE

Store in a damp-free environment at a stable temperature of ~20°C
Keep away from direct sunlight
No personal protection equipment is required in handling and storage

COMPOSITION

Base - Fabric with Solvent ink coating
Adhesive - Polyester
Print - UV Cure
Carrier - N/A

HEALTH & SAFETY

This product is identified as Non-Hazardous to the end user
No PPE is required during application**

ENVIRONMENTAL / RECYCLING

Non-Recyclable
Compostable

CERTIFICATION

Wash Stability: EN ISO 15797
Flame Retardant: EN ISO 11611 & EN ISO 11612
Liquid Penetration: EN 13034:2005 + A1:2009 / EN 14325:2004
Chemical Splash: BS EN 13034
Anti-Static: BS EN 1149-5